

## GEORGE C. PAPAVALASSILIOU

### PUBLICATIONS 1972-2013

#### P1. THESES

1. "Laser-Raman Spectra of Adsorbed Molecules", G. C. Papavassiliou, Ph. D. Thesis, University of Athens, 1972.

#### P2. PAPERS IN REFEREED JOURNALS

1. "Raman und IR- Spektren ansorbierter Molecule", G. Karagounis, G. Papavassiliou and G. Makriyannis *Chim. Chron. (New Ser.)* 1, 80 (1972).
2. "Raman Spectra in Flowing Liquids", G. C. Papavassiliou *Raman News Letter* 11 (1973); Preliminary results have been presented in 3rd Int. Conf. Raman Spectroscopy, Reims, France 1972.
3. "Optical absorption spectra of surface plasmons in small copper particles", G. C. Papavassiliou and Th. Kokkinakis *J. Phys. F: Metal Phys.* 4, L67 (1974).
4. "Surface plasmons in small Au-Ag alloy particles" G. C. Papavassiliou *J. Phys. F: Metal Phys.* 6, L103 (1976).
5. "Surface Plasmons in Small Cu Particles", Th. Kokkinakis and G. C. Papavassiliou, *Phys. Stat. Sol. (b)* 77, K49 (1976).
6. "Optical Absorption Spectra of Silver, Gold and Copper Thin Films Chemically Deposited on Quartz Plates", G. C. Papavassiliou, *Z.Phys. Chemie*, 257, 241 (1976).
7. "Plasma Resonance Absorption from Small  $K_{1.62}Pt(C_2O_4)_2 \cdot 2H_2O$  Particles", G. C. Papavassiliou, *J. Phys. C: Solid State Phys.* 10, 489 (1977).
8. "Surface plasmons in small  $K_2Pt(CN)_4Br_{0.3} \cdot 2H_2O$  Particles", G. C. Papavassiliou, *Z. Phys. Chemie* 258, 174 (1977).
9. "Optical Absorption Spectra of Small Particles of  $K^+TCNQ^-$  and Related Compounds", G. C. Papavassiliou and S. Spanou, *J. Chem. Soc., Faraday Trans. II* 73, 1425 (1977).
10. "Resonance Raman Spectra of Platimum Ethylenediamine Complexes", G. C. Papavassiliou and T. Theophanides. *Raman Newsletter* 104, 140 (1977), and *J. Raman Spectrosc.* 7, 230 (1978).
11. "Light Scattering and Absorption Spectra of Small  $K^+TCNQ^-$  Particles", G. C. Papavassiliou, *J. Chem. Soc., Faraday Trans. II* 74, 1446 (1978).

12. "Resonance Raman Spectra of Suspensions", G. C. Papavassiliou and Th. Theophanides, Raman Newsletter 116, 1 (1978); G. C. Papavassiliou "Optical Absorption Spectra of Small Pt(dapn)<sub>2</sub>Pt(dapn)<sub>2</sub>Br<sub>2</sub>(ClO<sub>4</sub>)<sub>4</sub> Particles", J. Phys. C: Sol. State Phys., 12, L297 (1979).
13. "Interpretation of the Infrared and Resonance Raman Spectra of Linear Mixed Valence Compounds", C. E. Parascevaides, G. Papatriantafillou, and G. C. Papavassiliou, Lecture Notes in Physics Springer - Verlag, 96, (II) 224 (1979).
14. "Study of the Lattice Modes of Linear Mixed Valence Compounds", C. E. Parascevaides, C. Papatriantafillou, and G. C. Papavassiliou, Chem. Phys., 37, 389 (1979).
15. "Resonance Raman Spectra of a Single Crystal Linear Chain Platinum Compounds", G. C. Papavassiliou, T. Theophanides and R. Rapsomanikis, J. Raman Spectrosc. 8, 227 (1979).
16. "Resonance Raman Spectra and Structure of Partially Oxidized Magnus' Salt", G. C. Papavassiliou, Th. Theophanides, Z. Naturforschung, 34b, 986 (1979).
17. "Optical Properties of Small Inorganic and Organic Metal Particles", G. C. Papavassiliou, (A REVIEW ARTICLE). Progress in Solid State Chemistry, 12, 185 (1979).
18. "Optical Properties of M(L-L)<sub>2</sub>M(L-L)<sub>2</sub>X<sub>2</sub>-(ClO<sub>4</sub>)<sub>4</sub>: Bulk and Small Particles", G. C. Papavassiliou, A. Zdetsis, J. Chem. Soc., Faraday Trans. II, 76, 104 (1980).
19. "Polarized Raman and Resonance Raman Spectra of compounds M(en)<sub>2</sub>M(en)<sub>2</sub>X<sub>2</sub>(ClO<sub>4</sub>)<sub>4</sub>" (where M=Pt or Pd, en 1,2-diaminoethane and X=Cl, Br or I), G. C. Papavassiliou, D. Layek, and T. Theophanides, J. Raman Spectrosc., 9, 69 (1980).
20. "Some New One-Dimensional Compounds: Preparation and Optical Properties", D. Layek and G. C. Papavassiliou Z. Naturforsch. 35b, 112, (1980).
21. "Resonance Raman Spectra of Single Crystals of Mixed-Valence Linear Chain Complexes of Platinum", G. C. Papavassiliou, D. Layek and T. Theophanides Can. J. Spectrosc. 25, 151 (1980).
22. "Electronic and Resonance Raman Spectra of Some New Mixed-Valence Compounds of Pt and Pd with a Metal-Halide Chain", G. C. Papavassiliou and D. Layek, Z. Naturforsch, 35b, 676 (1980).
23. "Electronic Spectra and Resonance Raman Excitation Profiles in M(L-L)<sub>2</sub>M(L-L)<sub>2</sub>X<sub>2</sub>(ClO<sub>4</sub>)<sub>4</sub>", G. C. Papavassiliou and C. S. Jacobsen, J. Chem. Soc., Faraday Trans. II, 77, 191 (1981)..
24. G. C. Papavassiliou, "The Tetrabutylammonium Salt of 2-Thioxo-1,3, -dithiol-4,5-dithiolate as a Starting Material for Preparation Organometallic Conductors, Z. Naturforsch, 36b, 1200 (1981).

25. "Partially Oxydized Products of Magnus Green Salt and Similar Conducting Solids", G. C. Papavassiliou and D. Layek, *Z. Naturforsch.*, 36b, 1671 (1981).
26. "Weak Peaks in the Electronic Spectra of Mixed Valence Compounds with a Metal-Halide Chain", G. C. Papavassiliou, R. Rapsomanikis, S. Mourikis and C. S. Jacobsen, *J. Chem. Soc., Faraday II* 78, 17 (1982).
27. "Luminescence Spectra and Raman Excitation Profiles in Small CdS particles", G. C. Papavassiliou, *J. Solid St. Chem.* 40, 330 (1981).
28. "Some New 1-D-Compounds with a Metal-Halide Chain", D. Layek and G. C. Papavassiliou, *Z. Naturforsch.* 36b, 83 (1981); *Mol. Cryst. Liq. Cryst.*, 86, 331 (1982).
29. "Luminescence Spectra and Raman Excitation Profiles in Small CdS Particles", G. C. Papavassiliou, *J. Mol. Structure* 79, 395 (1982).
30. "Preparation and Properties of Some New 1-D Solids", G. C. Papavassiliou, *Molecular Crystals and Liquid Crystals*, 86, 159 (1982).
31. "Some New Conducting Solids: Cation-Deficient Metal Dimercaptodithiolenes and Selenium Analogs", G. C. Papavassiliou, *Z. Naturforsch.* 37b, 825 (1982).
32. "Resonance Raman and Electronic Spectra of Mixed Valence Compounds with Ni(II)- -X-Ni(IV) and Ni(ii)- -X-Pt(IV) Chains (X=Cl, Br)", G. C. Papavassiliou and D. Layek, *Z. Naturforsch.* 37b, 1406 (1982).
33. "Some New Conducting Complexes of Nickel", G. C. Papavassiliou, *J. Physique* B3, 1257 (1983).
34. "Spectroscopic Investigation of Metal-Dimercaptodithiolenes and Selenium Analogs", G. C. Papavassiliou, A. M. Cotsilios and C. S. Jacobsen, *J. Mol. Struct.* 115, 41 (1984).
35. "Electronic and Vibrational Spectra of Mixed Valence Complexes with a Metal-Halide Chain", G. C. Papavassiliou and C. S. Jacobsen, *J. Mol. Struct.*, 115, 37 (1984).
36. "Preparation and Characterization of some New  $\pi$ -Donors: 3,4,5- tris (alkylthio) -1,2-dithiolium Iodides, Tetrakis (alkylthio)-1,1',2,2'-tetrathiafulvalenes, and Similar Compounds", G. C. Papavassiliou, *Chem. Scripta* 25, 167 (1985).
37. "Bis(diazino) tetrathiafulvalenes and Similar  $\pi$ -Donors", G. C. Papavassiliou, S. Y. Yannopoulos and J. S. Zambounis, *Mol. Cryst. Liq. Cryst.* 120, 333 (1985).
38. "Some New Conducting Solids", G. C. Papavassiliou, E. I. Kamitsos and J. S. Zambounis, *Mol. Cryst. Liq. Cryst.* 120, 315 (1985).
39. "Electronic Spectra of AgTCNQ and CuTCNQ Charge-Transfer Compounds", E. I. Kamitsos, G. C. Papavassiliou, and M. A. Karakassides, *Mol. Cryst. Liq. Cryst.*, 134, 43 (1986).

40. "Electrical Properties of 3,4,5-tris (alkylthio)-1,2-dithiolium Charge Transfer Complexes", G. C. Papavassiliou, J. S. Zambounis, A. E. Underhill, B. Kaye and H. P. Geserich, *Mol. Cryst. Liq. Cryst.* 134, 53 (1986).
41. "Three-Dimensional Conducting Solids:  $(BPTTF)_2BF_4$ ,  $(BPTTF)_2(ReO_4)_2$ ,  $(BPTTF)ClO_4$ , [where BPTTF-bis (pyrazino) tetrathiafulvalene] and Similar Compounds", A. E. Underhill, B. Kaye, G. C. Papavassiliou and S. Y. Yiannopoulos, *Mol. Cryst. Liq. Cryst.* 134, 59 (1986).
42. "Optical Properties of Bis(pyrazino) - tetrathiafulvalene salts", G. C. Papavassiliou, H. P. Geserich, S. Y. Yiannopoulos and J. S. Zambounis, *J. Mol. Structure*, 143, 215 (1986).
43. "Bis[4,5-b]pyridino-1,1',3,3'-tetrathiafulvalene: Synthesis and Charge Transfer Complexes", G. C. Papavassiliou, *Chim. Chron. (New Series)*, 15, 161 (1986).
44. "Structures of Conducting Salts of Bis(pyrazino)tetrathiafulvalene  $(BPTTF)_2BF_4$  and  $(BPTTF)_2PF_6$ ", A. Terzis, A. Hountas and G. C. Papavassiliou, *Acta Crystallogr.* C42, 1584 (1986).
45. "Pyrazinoethylenedithiotetrathiafulvalene: A New Unsymmetrical  $\pi$ -Donor", G. C. Papavassiliou, S. Y. Yiannopoulos, and J. S. Zambounis, *J. Chem. Soc., Chem. Commun.* 820, (1986).
46. "Nitrogen-Containing Tetrathiafulvalenes and a Few of Their Charge Transfer Complexes", G. C. Papavassiliou, S. Y. Yiannopoulos, and J. S. Zambounis, *Physica* 143B, 310 (1986).
47. "Multi-Sulfur  $\pi$ -Donors and  $\pi$ -Acceptors and a Few of Their Charge Transfer Complexes", G. C. Papavassiliou, J. S. Zambounis and S. Y. Yiannopoulos, *Physica* 143B, 307 (1986).
48. "Bis(Pyrazino) tetrathiafulvalene and Similar  $\pi$ -Donors", G. C. Papavassiliou, S. Y. Yiannopoulos, and J. S. Zambounis, *Chem. Scripta*, 27, 265 (1987).
49. "Some New  $\pi$ -Donors: Bis(propylenedithio)tetrathiafulvalene, 4,5-Bis(alkylthio)-1,2-dithiolium tetrafluoroborates and Similar Compounds", G. C. Papavassiliou, J. S. Zambounis, and S. Y. Yiannopoulos, *Chem. Scripta*, 27, 261 (1987).
50. "Crystal Structure, Electrical and Optical Properties of  $(BPTTF)_mX_n$  ( $X=BF_4, I_3$ ) and Similar Salts", G. C. Papavassiliou, A. Terzis, A. E. Underhill, H. P. Geserich, B. Kaye, A. Hountas and S. Y. Yiannopoulos, *Synthetic Metals*, 19, 703 (1987).
51. "Crystal Structures and Spectroscopic and Electrical Properties of Alkylthio-1,2-dithiolium-TCNQ Charge Transfer Complexes", A. Terzis, E. I. Kamitsos, V. Phycharis, J. S. Zambounis, J. Swiatek, and G. C. Papavassiliou, *Synthetic Metals*, 19, 481 (1987).
52. "Synthesis of Pyrazinodithiadiselenafulvalenes. New Unsymmetrical  $\pi$ -Donors", G. C. Papavassiliou, S. Y. Yiannopoulos, J. S. Zambounis, K. Kobayashi, and K. Umemoto, *Chem. Lett.*, 1279 (1987).

53. "Disodium 5-Cyanoisothiazoledithiolate as a Starting Material for Preparation of New Conductive Solids", G.C. Papavassiliou, G.A. Mousdis, V. Gionis, J. S. Zambounis and S. Y. Yiannopoulos, *Z. Naturforsch.* 42b, 1050 (1987).
54. "Electrical and Optical Properties of  $\alpha$ -(PEDTTTF) $_2$ BF $_4$ , and  $\alpha$ -(PEDTTTF) $_2$ IBr $_2$ ", G. C. Papavassiliou, A. E. Underhill, B. Kaye, H. P. Geserich, A. Terzis and S. Y. Yiannopoulos, *Material Science*, 13, 185 (1987).
55. "Structures of Conducting Salts of Pyrazinoethylenedithiotetrathiafulvalene (PEDTTF) and Dimethyl-pyrazonoethylenedithiotetrathiafulvalene (DMPEDTTF):  $\alpha$ -(PEDTTTF) $_3$ I $_3$  and  $\alpha$ -(DMPEDTTTF) $_3$ I $_3$ ", V. Psycharis, A. Hountas, A. Terzis and G. C. Papavassiliou, *Acta Crystallogr.C.*,44, 125 (1988).
56. "The Effect of Donor Modifications and Anion Size on the Structures of ET-based organic conducting Salts. Structures of the Conducting Salts of Pyrazinoethylene-dithiotetrathiafulvalene (PEDTTTF) and [4,5-b] pyridinoethylenedithiotetrathia-fulvalene ([4,5-b] PEDTTTF):  $\alpha$ -(PEDTTTF) $_2$ IBr $_2$  and  $\alpha$ -([4,5-b]PEDTTTF) $_2$ IBr $_2$ ", A. Terzis, V. Psycharis, A. Hountas and G. C. Papavassiliou, *Acta Crystallogr.*, C 44, 128 (1988).
57. "New Series of Organic Metals; Radical Salts of Unsymmetrical Donors Containing Pyrazino-Group", K. Kikuchi, H. Kamio, K. Saito, G. C. Papavassiliou, K. Kobayashi, I. Ikemoto and S. Y. Yiannopoulos, *Bull. Chem. Soc. Jpn.*, 61, 741 (1988).
58. "Some Nitrogen-Containing Tetraheterofulvalenes and a Few of Their Conductive Salts", G. C. Papavassiliou, V. Gionis, S. Y. Yiannopoulos, J. S. Zambounis, G. A. Mousdis, K. Kobayashi and K. Umemoto, *Mol. Cryst. Liq. Cryst.*, 156, 277 (1988).
59. "Bis(alkylthio) tetrathiafulvalenes and a Few of Their Salts", G. C. Papavassiliou, J. S. Zambounis, G. A. Mousdis, V. Gionis, and S. Y. Yiannopoulos, *Mol. Cryst. Liq. Cryst.*, 156, 269 (1988).
60. "Resonance Raman Studies in the Organic Conductors  $\alpha$ - and  $\beta$ -(PEDT-TTF) $_3$ I $_3$  and  $\beta$ -(DMPEDT-TTF) $_3$ I $_3$ ", J. S. Zambounis, E. I. Kamitsos, A. Terzis and G. C. Papavassiliou, *J. Mol. Structure*, 174, 189 (1988).
61. "Synthesis and Structure of Black (EDTTTF) $_2$ IBr $_2$ : A Structural Analogue of  $\beta$ -(BEDTTTF) $_2$ X Organic Superconductors", Terzis, A. Hountas, and G. C. Papavassiliou, *Sol. St. Commun.*, 66, 1161 (1988).
62. "Preparation and Characterization of some 4,5-Methylenedithio-4',5'-bis(alkylthio)tetrathiafulvalenes", G. C. Papavassiliou, G. A. Mousdis, S. Y. Yiannopoulos and J. S. Zambounis, *Chem. Scripta*, 28, 365 (1988).
63. "Conducting Solids Based on Some New Unsymmetrical Tetraheterofulvalenes", G. C. Papavassiliou, G. A. Mousdis, S. Y. Yiannopoulos, V. C. Kakoussis and J. S. Zambounis, *Synth. Metals*, 27, B373 (1988).

64. "Structure and Electrical Properties of Some Cation Radical Salts Based on EDTTTF, PEDTTTF, PETDSDTF, and Similar  $\pi$ -Donors", A. Terzis, A. Hountas, A. E. Underhill, A. Clark, B. Kaye, S. Y. Yiannopoulos, G. Mousdis and G. C. Papavassiliou, *Synth. Metals*, 27, B97 (1988).
65. "Low Temperature Measurements of the Electrical Conductivity of Some Charge Transfer Salts with Asymmetric Donors MDT-TTF, EDT-TTF and EDT-DSDTF: (MDT-TTF)<sub>2</sub>AuI<sub>2</sub>, a New Superconductor ( $T_c=3.5$  K at Ambient Pressure)", G. C. Papavassiliou, G. A. Mousdis, J. S. Zambounis, A. Terzis, A. Hountas, B. Hilti, C. W. Mayer and J. Pfeiffer, *Synth. Metals*, 27, B379 (1988).
66. "Structure of the Conducting Salts of Pyrazinoethylenedithio-tetrathiafulvalene (PEDTTTF)- $\alpha$ -(PEDTTTF)<sub>2</sub>IBr<sub>2</sub> at 98 K", H. Kobayashi, A. Kobayashi, A. Terzis and G. C. Papavassiliou, *Acta Crystall.*, C45, 683 (1989).
67. "4,5-Bis(Methylthio)-4',5'-bis (alkylthio)tetrathiafulvalenes", G. C. Papavassiliou, V. C. Kakoussis, G. A. Mousdis, J. S. Zambounis, and C. W. Mayer, *Chem. Scripta*, 29, 71 (1989).
68. "Methylenediselenotetrathiafulvalene and Similar Unsymmetrical  $\pi$ -Donors", G. C. Papavassiliou, V. C. Kakoussis, J. S. Zambounis and G. A. Mousdis, *Chem. Scripta*, 29, 123 (1989).
69. "Structures of the Conducting Salts of Ethylenedithiotetrathiafulvalene (EDTTTF) and Methylenedithio-tetrathiafulvalene (MDTTTF): (EDTTTF)<sub>1</sub>-I<sub>3</sub> and (MDTTTF)<sub>1</sub>I<sub>3</sub>", A. Hountas, A. Terzis, G. C. Papavassiliou, B. Hilti and J. Pfeiffer, *Acta Cryst.*, C46, 220 (1990).
70. "Structures and Conductivities of the Synthetic Metal Salts of Ethylenedithiotetrathiafulvalene (EDTTTF) and Ethylenedithiodiselenadithiafulvalene (EDTSDTF): 211-(EDTTTF)<sub>2</sub>IBr<sub>2</sub>, 212-(EDTTTF)<sub>2</sub>AuBr<sub>2</sub> and 211-(EDTSDTF)<sub>2</sub>IBr<sub>2</sub>", A. Terzis, A. Hountas, G. C. Papavassiliou, B. Hilti and J. Pfeiffer, *Acta Cryst.*, C46, 224 (1990).
71. "Structures of the New Superconductor (MDTTF)<sub>2</sub>AuI<sub>2</sub> ( $T_c=4.5$  K) and the Organic Metal (EDTTTF)<sub>2</sub>AuI<sub>2</sub>. MDTTTF is Methylenedi-thiotetrathiafulvalene and EDTTTF is Ethylenedithiotetrathiafulvalene", A. Hountas, A. Terzis, G. C. Papavassiliou, B. Hilti, M. Burkle, C. W. Mayer and J. S. Zambounis," *Acta Cryst.*, C46, 228 (1990).
72. "New Tetraheterafulvalenes, Metal 1,2-Diheterolenes and Some of Their Products", G. C. Papavassiliou, *Pure Appl. Chem.*, 62, 483 (1990).
73. "Transition Metal 1,2-Diheterolenes and Polyheterotetraheterafulvalenes: Precursors of Conducting Solids", G. C. Papavassiliou, V. C. Kakoussis, D. J. Lagouvardos, and G. A. Mousdis, *Mol. Cryst. Liq. Cryst.*, 181, 171 (1990).
74. "Ethylenedioxotetrathiafulvalenes: New Unsymmetrical  $\pi$ -Donors", G.C. Papavassiliou, D.J. Lagouvardos, V. C. Kakkoussis and G. A. Mousdis, *Z. Naturforsch.*, 45b, 1216 (1990).

75. "Magnetic Properties of  $\kappa$ -(MDTTTF)<sub>2</sub>AuI<sub>2</sub> salt in the Normal and Superconducting States", P. Delhaes, J. Amiell, S. Flandrois, L. Ducasse, A. Fritsh, B. Hilti, C. W. Mayer, J. Zambounis, and G. C. Papavassiliou, *J. Physique*, (France) 51, 1179 (1990).
76. "Chemical and Physical Properties of Some EDTTTF-Salts" W. Biberacher, H. Müller, C.-P. Heidmann, Ch. Probst, A. Lert, K. Andres, V. Kakoussis, G. C. Papavassiliou and H. U. Hummel, *Synth. Metals*, 42, 2374 (1991).
77. "Electronic Structure and Physical Properties on Unsymmetrical TTF based Organic Salts", L. Ducasse, J. Amiell, P. Delhaes, G. Mousdis, G. C. Papavassiliou, and A. Terzis, *Synth. Metals*, 42, 2483 (1991).
78. "Crystal Structures and Properties of Some Cation Radical Salts Based on EDOEDTTTF, EDOMDTTTF, EDOVDTTTF, EDOBTFF, EDOBTTF, EDOPDSDTF, EDODMPTTF, BEDTTTF and BMDTTTF", A. Terzis, A. Hountas, B. Hilti, G. Mayer, J. S. Zambounis, D. Lagouvardos, V. Kakoussis, G. Mousdis and G. C. Papavassiliou, *Synth. Metals*, 42(1-2), 1715 (1991).
79. "New Langmuir-Blodgett Films Based on Substituted 1,2-Dithiolium-TCNQ Radical Anion Salts", V. Gionis, O. Kichet, M. Izumi, J. Amiell, C. Garrigon-Lagrange, G. C. Papavassiliou, P. Delhaes, *Chem. Lett.* 871 (1991).
80. "Preparation of Some Bis(alkylthio) - bis (alkylthio)-bis (alkylseleno) tetrathiafulvalenes", G. C. Papavassiliou, V. C. Kakoussis and D. J. Lagouvardos, *Z. Naturforsch.* 46b (1991). p.1269.
81. "5,6-Ethylenediseleno-1,3-dithio(4,5-b)- (1-4) dithin-2-thione as Starting Materials for the Preparation of New Tetrathiafulvalenes", G. C. Papavassiliou, D. J. Lagouvardos and V. C. Kakoussis, *Z. Naturforsch.* 46b, 1730 (1991).
82. "Resonance Raman and Far-Infrared Studies of n-Bu<sub>4</sub>NI<sub>3</sub> and n-Bu<sub>4</sub>NBr<sub>3</sub>", J.S. Zambounis, E. I. Kamitsos, A. P. Patsis and G.C. Papavassiliou, *J. Raman Spectrosc.*, 23, 81 (1992).
83. "Tetraheterafulvalenes and Precursors of Conducting Materials", G.C. Papavassiliou, *Mat. Res. Symp. Proc.* 247, 523 (1992).
84. "Conducting and Superconducting Salts Based on Some Symmetrical and Unsymmetrical Donors", G.C. Papavassiliou, D. J. Lagouvardos, V.C. Kakoussis, A. Terzis, A. Houtas, B. Hilti, C. Mayer, J. S. Zambounis, J. Pfeiffer, M.-H. Whangbo, J. Ren and D.B. Kang, *Mat. Res. Symp. Proc.* 247, 535 (1992).
85. "4,5-Ethylenedithio-1-selenole-3-thiole-2-one as Starting Materials for the Preparation of New Tetrachalcogenafulvalenes", D. J. Lagouvardos and G.C. Papavassiliou, *Z. Naturforsch.* 47b, 898 (1992).
86. "On the Modification of the Optical Properties of the TCNQ Ion-Radical Salts by Mechanical Grinding", G. C. Papavassiliou and V. M. Yartsev, *Chem. Phys. Lett.*, 200, 209 (1992).

87. "Resonance Raman Investigation of the State of Polyiodides in Organic Conductors (PEDT-DTDSF)<sub>2</sub>I<sub>3</sub> and (PDM-TTF)<sub>3</sub>I<sub>3</sub>", J. S. Zambounis, E. I. Kamitsos, and G.C. Papavassiliou, *J. Raman Spectrosc.* 23, 721 (1992).
88. "Conducting and Superconducting Salts Based on Some Symmetrical and Unsymmetrical Tetrachalcogenafulvalenes", G. C. Papavassiliou, D.J. Lagouvardos, A. Terzis, A. Hountas, B. Hilti, J.S. Zambounis, C.W. Mayer, J. Pfeiffer, W. Hofherr, P. Delhaes, and J. Amiel, *Synth. Metals* 55-57, 2174 (1993).
89. "Spectroscopic Studies of (C<sub>10</sub>H<sub>21</sub>NH<sub>3</sub>)<sub>2</sub>PbI<sub>4</sub>, (CH<sub>3</sub>NH<sub>3</sub>)PbI<sub>3</sub>, and Similar Compounds" G. C. Papavassiliou, A. P. Patsis, D.J. Lagouvardos and I.B. Koutselas *Synth. Metals* 55-57, 3889 (1993).
90. "Preparation and Characterization of (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>SnI<sub>4</sub> and (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>SnBr<sub>4</sub>", G. C. Papavassiliou, J. B. Koutselas and D. J. Lagouvardos, *Z. Naturforsch.* 48b, 1013 (1993).
91. "Physical Properties in the Normal State of the Molecular Superconductor κ-(BEDT)<sub>2</sub>Cu<sub>2</sub>(CN)<sub>3</sub>", G. C. Papavassiliou, D. J. Lagouvardos, A. Terzis, J. Amiel, C. Garrigou-Lagrange, P. Delhaes, B. Hilti and J. Pfeiffer, *Synth. Metals*, 61, 267 (1993).
92. "Optical and Related Properties of Some Natural Three and Lower Dimensional Semiconductor Systems", G. C. Papavassiliou, I. B. Koutselas, D. J. Lagouvardos, J. Kapoutsis, A. Terzis and G. J. Papaioannou, *Mol. Cryst. Liq. Cryst.*, 253 103 (1994).
93. "Influence of Anisotropic Scattering Along the 2D-Fermi Surface on Transport Properties in an Asymmetrical-Donor-Based Molecular crystal", N. Fortune, K. Murata, G. C. Papavassiliou, D. J. Lagouvardos and J. S. Zambounis, *Mater. Res. Soc. Proc.*, 328, 307 (1994).
94. "Structural and Electronic Properties of the Natural Quantum-Well system (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>SnI<sub>4</sub>", G. C. Papavassiliou, I. B. Koutselas, A. Terzis and M.-H. Whangbo, *Sol. State Commun.*, 91 695 (1994).
95. "Excitonic Bands in the Absorption Spectra of A<sub>3</sub>MX<sub>6</sub> and A<sub>3</sub>M<sub>2</sub>X<sub>9</sub> (A=MeNH<sub>3</sub>, Me<sub>2</sub>NH<sub>2</sub>, Me<sub>3</sub>NH, Me<sub>4</sub>N; M=Bi, Sb; X=Cl, Br, I)", G. C. Papavassiliou and I. B. Koutselas, *Z. Naturforsch.* 49, 849 (1994).
96. "Resonance Raman and Infrared Studies of the Organic Superconductor κ-(MDT-TTF)<sub>2</sub>AuI<sub>2</sub> at the Normal State", J. S. Zambounis, B. Hilti, C. W. Mayer, A. P. Patsis, E. I. Kamitsos and G. C. Papavassiliou, *J. Raman Spectrosc.* 26, 9 (1995).
97. "Structural Optical and Related Properties of Some Natural Three- and Lower-dimensional Semiconductors Systems", G.C. Papavassiliou and I.B. Koutselas, *Synth. Metals*, 71, 1713 (1995).
98. "Conducting and Superconducting Salts Based on Some Unsymmetrical Tetrachalcogenafulvalenes", G.C. Papavassiliou, D.J. Lagouvardos, A. Terzis, C. P.



Raptopoulou, B. Hilti, W. Hotherr, J.S. Zambounis, G. Rihs, J. Pfeiffer, P. Delhaes, K. Murata, N. A. Fortune and N. Shirakawa, *Synth. Metals* 70, 787 (1995).

99. "Some Natural Three- and Lower-Dimensional Semiconductor Systems with Metal-Halide Units", G.C. Papavassiliou, I.B. Koutselas, A. Terzis and C.P. Raptopoulou, *Mat.Res.Soc. Symp. Proc.* 358, 283 (1995).

100. "Structural and Physical Properties of  $\tau$ -(P-(S, S)-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1</sub>(AuBr<sub>2</sub>)<sub>0.75</sub>", J.S. Zambounis, J. Pfeiffer, G. C. Papavassiliou, D. J. Labouvardos, A. Terzis, C. P. Raptopoulou, P. Delhaes, L. Ducasse and K. Murata, *Sol.State Commun.*, 95, 211 (1995).

101. "Preparation and Characterization of (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>4</sub> BiI<sub>7</sub>.H<sub>2</sub>O, (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>3</sub>BiBr<sub>6</sub> and (C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>3</sub>BiCl<sub>6</sub>", G. C. Papavassiliou, I. B. Koutselas, A. Terzis and C.P. Raptopoulou, *Z. Naturforsch.* 50b, 1566 (1995).

102. "Electronic Properties of Three- and Low-Dimensional Semiconducting Materials with Pb-Halide and Sn-Halide Units", I. B. Koutselas, L. Ducasse and G.C. Papavassiliou, *J. Physics: Condens. Matt.* 8, 1217 (1996).

103. "Synthetic Three-and Lower Dimensional Semiconductors Based on Inorganic Units", G. C. Papavassiliou, (PLENARY, INVITED PAPER), *Mol. Cryst. Liq. Cryst.* 286, 231 (1996).

104. "Structural and Physical properties of  $\tau$ -(EDO-S, S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1</sub>(AuBr<sub>2</sub>)<sub>y</sub>", G. C. Papavassiliou, D. J. Lagouvardos, J. S. Zambounis, A. Terzis, I. P. Raptopoulou, K. Murata, N. Shirakawa, L. Ducasse and P. Delhaes, *Mol. Cryst. Liq. Cryst.* 285, 83 (1996).

105. "Spectral and Electrical Properties of the Organic Metal  $\tau$ -(EDO-S, S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1</sub>(AuBr<sub>2</sub>)<sub>0.75</sub>", I. Olejniczak, W. Pukacki, and G.C. Papavassiliou *Adv. Mater. Optics and Electronics* 6, 288 (1996).

106. "Structural and Physical Properties of  $\tau$ -(P-S, S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1</sub>(AuBr<sub>2</sub>)<sub>0.75</sub> and  $\tau$ -(EDO-S, S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1</sub>(AuBr<sub>2</sub>)<sub>0.75</sub>, 2D Conductors", G.C. Papavassiliou, D.J. Lagouvardos, I. Koutselas, K. Murata, A. Graja, I. Olejniczak, J.S. Zambounis, L. Ducasse and J.P. Ulmet, *Synth. Metals*, 86, 2043 (1997).

107. "Optical and Related Properties of Natural One-dimensional Semiconductors Based on PbI and SnI Units", I. B. Koutselas, D.B. Mitzi, G.C. Papavassiliou, G. J. Papaioannou and H. Krautscheid, *Synth. Metals*, 86, 2171 (1997).

108. "A New Electronic State in the Variably Doped Two-dimensional Charge Transfer Salts,  $\tau$ -(EDO-S, S-DMEDT-TTF)<sub>2</sub>(I<sub>3</sub>)<sub>1</sub>(I<sub>3</sub>)<sub>y</sub> and  $\tau$ -(EDO-S, S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1</sub>(AuBr<sub>2</sub>)<sub>y</sub> with  $y \approx 0.75$ ", K. Murata, N. Shirakawa, H. Yoshino, Y. Tsubaki, G.C. Papavassiliou, A. Terzis and J. Zambounis, *Synth. Metals* 86, 2021 (1997).

109. "Three- and Low-Dimensional Inorganic Semiconductors" (INVITED REVIEW ARTICLE), G.C. Papavassiliou, , Progr.Sol.State Chem., 25, 125-270 (1997).
110. "Hysteretic Magnetic State in the Organic  $\tau$ -phase Conductors", K. Murata, H. Yoshinori, Y. Tsukabi, and G.D. Papavassiliou, Synth.Metals, 94, 69 (1998).
111. "Synthetic Low-Dimensional Semiconductors Based on Inorganic Units", G.C. Papavassiliou, G. Mousdis, I. Koutselas, C.P. Raptopoulou, A. Terzis, M.G. Kanatzidis and A. Axtell III, Adv. Mater. Opt. Electron., 8 263 (1998).
112. "Preparation, Structure and Optical Properties of  $[\text{CH}_3\text{SC}(=\text{NH}_2)\text{NH}_2]_3\text{PbI}_5$ ,  $[\text{CH}_3\text{SC}(=\text{NH}_2)\text{NH}_2]_4\text{Pb}_2\text{Br}_8$ , and  $[\text{CH}_3\text{SC}(=\text{NH}_2)\text{NH}_2]_3\text{PbCl}_5 \cdot \text{CH}_3\text{SC}(=\text{NH}_2)\text{CH}_2\text{Cl}$ ", G.A. Mousdis, V. Gionis, G. C. Papavassiliou, C. P. Raptopoulou and A. Terzis, J.Mater.Chem.8, 2259 (1998).
113. "Preparation, Structures and Optical Properties of  $[\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3]\text{BiX}_5$  (X=I,Cl) and  $[\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3]\text{SbX}_5$  (X=I,Br)", G.A. Mousdis, G. C. Papavassiliou, A. Terzis, and C. P. Raptopoulou, Z. Naturforsch. 53b,927 (1998).
114. "Excitonic Bands in the Optical Absorption Spectra of  $(\text{Bu}_4\text{N})\text{CuBr}_2(\text{Et}_4\text{N})_2\text{Cu}_2\text{Br}_4$ ,  $(\text{Pr}_4\text{N})_2\text{Cu}_4\text{Br}_6$ ,  $(\text{Bu}_4\text{N})_2\text{Cu}_2\text{I}_4$ ,  $(\text{Me}_4\text{N})\text{Cu}_2\text{I}_3$ ,  $(\text{Pr}_4\text{N})_4\text{Ag}_4\text{I}_8$ ,  $(\text{Me}_4\text{N})\text{Ag}_2\text{I}_3$ ,  $(\text{Et}_4\text{N})\text{Ag}_2\text{Br}_3$  and Similar Compounds", G. C. Papavassiliou, G. A. Mousdis, A. Terzis, and C. P. Raptopoulou, Z. Naturforsch, 54b,109 (1999).
115. "Magnetic Nature of  $r\text{-(EDO-S,S-DMET-TTF)}_2(\text{AuBr}_2)_1(\text{AuBr}_2)_y$  ( $y \sim 0.75$ )", H. Yoshino, K. Murata, T. Sasaki, K. Iimura, A. Oda, and G. C. Papavassiliou Synth. Metals, 103, 2010 (1999).
116. "Organic Conductors of  $\tau$ -Phase", G. C. Papavassiliou, K. Murata, J.P.Ulmet, A. Terzis, G. A. Mousdis, H. Yoshino, A. Oda, D. Vignolles, and C. P. Raptopoulou, (INVITED PAPER) Synth. Metals, 103, 1921 (1999).
117. "Hypothetical Buckminsterfullerene-dithio-tetrathiafulvalene", K. H. Lee, S. S. Park, H. M. Eun, J. Y. Lee, C.K. Chao, C. H. Lee and G. C. Papavassiliou, Synth. Metals, 103, 2432 (1999).
118. "Optical and Related Properties of Some Synthetic Low-Dimensional Semiconductors Based on Inorganic Units", G. C. Papavassiliou, G. A. Mousdis, I. B. Koutselas, G. Pistolis, M. G. Kanatzidis and E. A. Axtel III, Synth. Metals, 103, 2689 (1999).
119. "Symmetry Change in the Angular Dependence of Magnetoresistance of the Two-Dimensional Organic Conductor  $\tau\text{-(EDO-S,S-DMEDT-TTF)}_2(\text{AuBr}_2)$ ,  $(\text{AuBr}_2)_y$  ( $y \sim 0.75$ )", H. Yoshino, K. Iimura, T. Sasaki, A. Oda, G. C. Papavassiliou and K.Murata J. Phys. Soc. Jpn., 68, 177 (1999).
120. "Preparation and Characterization of  $[\text{C}_6\text{H}_5\text{CH}_2\text{NH}_3]_2\text{PbI}_4$ ,  $[\text{C}_6\text{H}_5\text{CH}_2\text{CH}_2\text{SC}(\text{NH}_2)_2]_3\text{PbI}_5$  and  $\text{C}_{10}\text{H}_7\text{CH}_2\text{NH}_3]\text{PbI}_3$  Organic-Inorganic Hybrid Compounds", G. C. Papavassiliou, G. A. Mousdis, C. P. Raptopoulou, and A. Terzis, Z. Naturforsch. 54b, 1405(1999).

121. "Some New Organic-Inorganic Hybrid Semiconductors Based on Metal-Halide Units: Structural, Optical and Related Properties", G. C. Papavassiliou, G. A. Mousdis, and I. B. Koutselas, *Adv. Mater. Opt. Electronics*, 9, 265 (1999).
122. "Preparation and Characterization of  $[\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3]\text{PbI}_4$  and Similar Compounds with Layered Perovskite Structure", G. A. Mousdis, G. C. Papavassiliou, C. P. Raptopoulou and A. Terzis, *J. Mater. Chem.* 10, 515 (2000).
123. "Optical Investigation of  $\tau$ -Phase Organic Molecular Conductor:  $\tau$ -(EDO-(S-S')-DMEDT-TTF) $_2$ AuBr $_2$ (AuBr $_2$ ) $_y$  with  $y \approx 0.75$ ", I. Olejniczak, J. L. Musfeldt, G. C. Papavassiliou and G. A. Mousdis, *Phys. Rev. B*, 62, 15634 (2000).
124. "Alternative Method for the preparation of 4,5-Ethylene dithio-1,3-dithiole-2-thione and related Compounds", G. C. Papavassiliou, G. A. Mousdis and A. Papadima, *Z. Naturforsch.* 55b, 231 (2000).
125. "Some New Luminescent Compounds Based on 4-Methylbenzylamine and Lead Halides", G. C. Papavassiliou, G. A. Mousdis, C. P. Raptopoulou and A. Terzis *Z. Naturforsch.*, 55b, 536 (2000).
126. "Excitonic Bands in the Photoconductivity Spectra of Some Organic-Inorganic Hybrid Compounds Based on Metal-Halide Units", (INVITED PAPER), G. C. Papavassiliou, G. A. Mousdis and I. B. Koutselas, *Int. J. Modern Phys. B* 15, 3727 (2001).
127. "Excitonic Bands in the Spectra of Some Organic-Inorganic Hybrid Compounds Based on Metal Halide Units", G. C. Papavassiliou, G. A. Mousdis, and I.B. Koutselas, *Chem. Monthly*, 132, 113 (2001).
128. "Excitons in Single Crystals of the Two-Dimensional Semiconductor  $\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3\text{PbI}_4$ ", T. Goto, N. Ohshima, G. A. Mousdis and C. G. Papavassiliou, *Solid St. Commun.* 117, 13 (2001).
129. "Some Organic-Inorganic Hybrid Compounds Based on iso-Thiuronium Cations and Metal Halide Anions", G. C. Papavassiliou, G. A. Mousdis, and I.B. Koutselas *Z. Naturforsch.*, 56b, 57 (2001).
130. "Low Temperature Electric Nature of  $\tau$ -Phase Conductors", T. Konoike, A. Oda, K. Iwashita, T. Yamamoto, H. Tajima, H. Yoshino, K. Ueda, T. Sugimoto, K. Hiraki, T. Takahashi, T. Sasaki, Y. Nishio, K. Kajita, G. C. Papavassiliou, G. A. Mousdis and K. Murata, *Synth. Metals*, 120, 801 (2001).
131. "Preparation, Structure and Physical Properties of Some New Organic Conductors of  $\tau$ -Phase", G. C. Papavassiliou, G. A. Mousdis, A. Terzis, C. Raptopoulou, K. Murata, T. Konoike, and Y. Yoshino, *Synth. Metals*, 120, 743 (2001).
132. "Excitonic Bands in the Spectra of Some Organic – Inorganic Hybrid Compounds Based on Metal Halide Units", G. C. Papavassiliou, G. A. Mousdis and I. B. Koutselas, *Synth. Metals*, 121, 1339 (2001).

133. "Magnetic Field-Dependent Interplay Between Incoherent and Fermi Liquid Transport Mechanism in Low-Dimensional  $\tau$ -Phase Organic Conductors", K. Storr, L. Balicas, J. S. Brooks, D. Graf and G. C. Papavassiliou, *Phys. Rev. B*, **64**, 045107 (2001).
134. "Preparation and Characterization of 4-[4-Dimethylamino]styryl]-methylpyridinium Lead Triiodide and Tribromide Analog", G. C. Papavassiliou, G. A. Mousdis, and I. B. Koutselas, *Z. Naturforsch.* **56b**, 213 (2001).
135. "Pyrazino-methyl-ethylenedithio-tetrathiafulvalene, Precursors of  $\tau$ -Phase Conductors", G. C. Papavassiliou, A. Terzis and C. P. Raptopoulou, *Z. Naturforsch.* **56b**, 963 (2001).
136. "New  $\pi$ -Donor Molecules with a Pyrazino-Group and their Conducting Salts", G. C. Papavassiliou, Y. Misaki, T. Miura, K. Takahashi, J. Yamada, and G. A. Mousdis, *Z. Naturforsch.* **56b**, 297 (2001).
137. "Efficient Synthesis of EDO-S,S-DMEDT-TTF, a Potent Organic-Donor for Synthetic Metals", T. Konoike, K. Namba, T. Shinada, K. Sakaguchi, G. C. Papavassiliou, K. Murata, Y. Ohfune, *Synlett*, (9) 1476 (2001).
138. "An Improved Synthesis of Nickel-bis(5,6-dihydro-1,4-dioxine-2,3-dithiolate), Ni(edo)<sub>2</sub>", G. C. Papavassiliou, G. A. Mousdis, and G. C. Anyfandis, *Z. Naturforsch.* **57b**, 707 (2002).
139. "Preparation, Structure and Optical Properties of [CH<sub>3</sub>SC(NH<sub>2</sub>)<sub>2</sub>]<sub>3</sub>SnI<sub>5</sub>, [CH<sub>3</sub>SC(NH<sub>2</sub>)<sub>2</sub>]<sub>2</sub>[HSC(NH<sub>2</sub>)<sub>2</sub>]SnBr<sub>4</sub>, [CH<sub>3</sub>C<sub>5</sub>H<sub>4</sub>NCH<sub>3</sub>]PbBr<sub>3</sub> and [C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>SC(NH<sub>2</sub>)<sub>2</sub>]<sub>4</sub>Pb<sub>3</sub>I<sub>10</sub>", C. P. Raptopoulou, A. Terzis, G. A. Mousdis, and G. C. Papavassiliou, *Z. Naturforsch.* **57b**, 645 (2002).
140. "Giant Shubnikov-de Haas Oscillation and the New Metallic State in the Organic  $\tau$ -Type Conductors", T. Konoike, K. Murata, K. Iwashita, H. Yoshino, T. Sasaki, K. Hiraki, T. Takahashi, Y. Nishio, K. Kajita, H. Tajima, G. C. Papavassiliou, *J. Phys. Chem. Sol.* **63**, 1245 (2002).
141. "Electrical and Magnetic Properties of weak Ferromagnetic Organic Conductor  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> (y=0.75) and its Analogs", H. Yoshino, T. Konoike, K. Murata, G. C. Papavassiliou, T. Sasaki, T. Yamamoto, and H. Tajima, *Mol. Cryst. Liq. Cryst.* **376**, 171 (2002).
142. "Mysterious Thermal Properties of  $\tau$ -(EDO-5,5-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> and  $\tau$ -(P-S,S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> (y similar to 0.75)", Y. Nishio, K. Nara, K. Kajita, H. Yoshino, K. Murata and G. C. Papavassiliou, *Mol. Cryst. Liq. Cryst.* **379**, 107 (2002).
143. "Electronic Structure of Novel Cation Radical Salts in High Magnetic Fields", J. S. Brooks, L. Balicas, K. Storr, B. H. Ward, S. Uji, T. Terashima, C. Terakura, J. A. Schlueter, R. W. Winter, J. Mohtasham, G. L. Gard, G. C. Papavassiliou and M. Tokumoto, *Mol. Cryst. Liq. Cryst.* **380**, 109 (2002).

144. "Magnetic Field-Induced Density Wave Transition in a tau-Phase Organic Conductor", D. Graf, L. Balicas, J. S. Brooks, C. Mielke and G. C. Papavassiliou, *Int. J. Modern Phys. B*, 16, 3105 (2002).
145. "Shubnikov- de Haas Oscillations in a 2D Organic Conductor  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> (y~0.75)", T. Konoike, K. Iwashita, H. Yoshino, K. Murata, T. Sasaki, and G. C. Papavassiliou, *Phys. Rev. B* 66, 245308(2002).
146. "Hybrid Molecular Materials Based Upon Organic  $\pi$ -Donor and Inorganic Metal Complexes: Conducting Salts of Bis(ethylenediseleno) tetrathiafulvalene (BEST) with Octahedral Anions Hexacyanoferrate (III) and Nitroprusside", M. Clemente-Leon, E. Coronado, J. R. Galan-Maskaros, Gimezez-Saiz, C. J. Gomez-Garcia, J.M.Fabre, G. A. Mousdis, and G. C. Papavassiliou, *J. Sol. St. Chem* 168, 616 (2002).
147. "Exciton Dynamics in Synthetic One Dimensional Semiconductor C<sub>10</sub>H<sub>7</sub>CH<sub>2</sub>NH<sub>3</sub>PbI<sub>3</sub>", T. Goto, N. Oshima, G. Mousdis and G.C. Papavassiliou, *Nonlinear Optics* 29, 379 (2002).
148. "Crystal Structure and Optical Properties of 4-[4-(Dimethylamino)styryl]-1-methylpyridinium Lead Tribromide", G. C. Papavassiliou, G. A. Mousdis, A. Terzis, and C. P.Raptopoulou, *Z. Naturforsch* 58b, 815 (2003).
149. "Evidence for a Metallic, but Unusual Ground State in  $\tau$ -Conductors", K. Murata, T. Konoike, K. Iwahita, H. Yoshino, T. Sasaki, K. Hiraki, T. Takahashi, Y. Nishio, K. Kajita, and G. C. Papavassiliou, *Synth. Met* 133-134, 103 (2003).
150. "Giant Shubnikov-de Haas Oscillations in  $\tau$ -Conductors", T. Konoike, K. Iwashita, T. Sasaki, K. Hiraki, T. Takahashi, G.C. Papavassiliou, H. Yoshino and K. Murata, *Synth. Metals* 133-134 , 157 (2003).
151. "Low Temperature Ground State of  $\tau$ -Type Organic Conductors", K. Hiraki, T. Takahashi, T. Konoike, H. Yoshino, K. Murata, and G.C. Papavassiliou, *Synth. Met.* 133-134, 159 (2003).
152. "Preparation and Characterization of 5,6-Dimethyl-5,6-dihydro- [1,4]-diseleno [2,3-d] dithiole-2-thione and Similar Compounds", G. C. Papavassilliou, G. A. Mousdis, G. C. Anyfantis, N. Assimonytis, and B. R. Steele, *Z. Naturforsch.* 58b, 813 (2003).
153. "Anomalous Specific Heat of  $\tau$ -Type Organic Conductors:" Y. Nishio, K. Nara, K. Kajita, H. Yoshino, K. Murata and G. C. Papavassiliou, *Synth. Met.* 135-136, 667 (2003).
154. "Shubnikov-de Haas Oscillations and Fermi Surface of  $\tau$ -Phase Conductors", T. Konoike, K. -I. Iwashita, I. Nakano, H. Yoshino, T. Sasaki, Y. Nogami, J. S. Brooks, D. Graf, C. H. Mielke, G.C. Papavassiliou, and K. Murata, *Physica E* 18, 188 (2003).
155. "Reflection Spectroscopy of  $\tau$ -Phase Organic Conductors Under the Magnetic Field", H. Yoshino, M. Inoue, H. Tajita, R. Sakamoto, J. Yamazaki, T. Konoike, G. C. Papavassiliou, and K. Murata, *Synth. Met.* 135-136, 555 (2003).

156. “New Donor Molecules and Their  $\tau$ -phase Conducting Salts”, G. C. Papavassiliou, G. A. Mousdis, A. Terzis, C. Raptopoulou, K. Murata, T. Konoike, H. Yoshino, A. Graja and A. Lapinski, *Synth. Met.* 135-136, 651 (2003).
157. “Shubnikov-de Haas Oscillations and Low Temperature Electronic Structure in  $\tau$ -Phase Conductors”, T. Konoike, K. Iwashita, I. Nakano, H. Yoshino, T. Sasaki, T. Takahashi, Y. Nogami, J. S. Brooks, D. Graf, C.H.Mielke, G. C. Papavassiliou, and K. Murata, *Synth. Met.* 135-136, 615 (2003).
158. “High Magnetic Field-Induced Insulating Phase in an Organic Conductor”, J. S. Brooks, D. Graf, E. Choi, L. Balicas, K. Storr, C. H. Mielke, and G. C. Papavassiliou, *Phys. Rev.* B67, 153104 (2003).
159. “Optical Properties of the Conducting Salt  $\tau$ -(P-S,S-DMEDT-TTF)<sub>2</sub> (AuBr<sub>2</sub>) (AuBr<sub>2</sub>)<sub>y</sub> ( $y \approx 0.75$ )”, A. Lapinski, A. Graja, G. C. Papavassiliou, and G. A. Mousdis, *Synth. Met.*139, 405 (2003).
160. “New Ambient pressure Organic Superconductor with  $T_c=8.1$  K, Based on Unsymmetrical Donor Ethylenedithiotetrathiafulvalene: (EDT-TTF)<sub>4</sub>Hg<sub>2.83</sub>I<sub>8</sub>,  $\delta=0.1-0.2$ ”, E. Zhilyaeva, S. Torunova, R. Lyubovskaya, G. Mousdis, G. C. Papavassiliou, J. Perenboom, S. Pesotskii, and R.Lyuboirskii, *Synth. Met.* 140, 151 (2004).
161. “New Ambient Pressure Organic Superconductor with  $T_c=8.1$  K:(EDT-TTF)<sub>4</sub>Hg<sub>3- $\delta$</sub> I<sub>8</sub>”, R.N.Lyubovskaya, E.I.Zhilyaeva, S.A. Torunova, G.A.Mousdis, G.C.Papavassiliou, J.A.A.J.Perenboom, P. I. Pesotskii, and R.B.Lyuborskii, *J.Physique IV*, 114, 463 (2004).
162. “New Donor Molecules, Precursors of Conducting Salts”, G.C.Papavassiliou, G.A. Mousdis, A. Terzis, C. Raptopoulou, K. Murata, L.Li, and H. Yoshino, *J. Physique IV*, 114, 569 (2004).
163. “Possible Quantum Hall Effect in the 2-Dimensional Organic Conductor,  $\tau$ - (EDO-S,S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> in the Two-Fermi Surface System”, K.Murata, T.Nakanishi, H. Yoshino, T. Konoike, J. Brooks, D. Graf and G.C. Papavassiliou, *J. Physique IV*, 114, 343 (2004).
164. “A New Quantum Hall Effect in the 2-Dimensional Organic Conductor,  $\tau$ -(EDO-SS-DMEDT-TTF)<sub>2</sub> (AuBr<sub>2</sub>)<sub>1+y</sub>”, K.Murata, H. Yoshino, T. Nakanishi, T. Konoike, J. Brooks, D. Graf, C. Mielke, and G. C. Papavassiliou, *Curr. Appl. Phys.* 4, 488 (2004).
165. (a) “Synthesis of Some New Electron  $\pi$ -Donors Containing Methoxy Groups”, G. A. Mousdis, G. C. Papavassiliou, N. Psaroudakis and G.C. Anyfantis, *Z. Naturforsch.* 59b, 839 (2004).
166. “Structural and Physical Properties of  $\tau$ -(EDO-S',S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> and  $\tau$ -(P-S',S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub>”, G. C. Papavassiliou, G. A. Mousdis, G.C. Anyfantis, K. Murata, L. Li, H. Yoshino, H. Tajima, T. Konoike, J. S. Brooks, D. Graf and E.S. Choi, *Z. Naturforsch* 59a, 952 (2004).

167. "Some New Findings in  $\tau$ -phase Organic Conductors", G. C. Papavassiliou, G. A. Mousdis, G. C. Anyfantis, K. Murata, T. Nakanishi, L. Li, H. Yoshino, H. Tajima, M. Inoue, T. Konoike, J. S. Brooks, E. S. Choi, and D. Graf *Materials Science* 22, 365 (2004).
168. "Is the Resistance Upturn Around 50K Related to the Fermi Surface Area in  $\tau$ -(EDO-*S,S*-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub>", T. Nakanishi, L. Li, H. Yoshino, S. Yasuzuka, K. Murata, D. Graf, E.S. Choi, J. S. Brooks and G. C. Papavassiliou, *Synth. Metals* 152, 425 (2005).
169. "Magnetic, Thermoelectric, and Pressure Studies of the Magnetic Field-Induced Metal to Insulator Transition in tau-Phase Organic Conductors", J. S. Brooks, D. Graf, Y. Oshima, E.S. Choi, K. Murata, T. Konoike and G. C. Papavassiliou, *Synth. Metals* 152, 441 (2005).
170. "Pressure-Induced Low Resistive and Insulating Phases in  $\tau$ -(EDO-*R,R*-DMEDT-TTF)<sub>2</sub>(AuI<sub>2</sub>)<sub>1+y</sub>", L. Li, H. Yoshino, T. Nakanishi, G. C. Papavassiliou, G. A. Mousdis, T. Sasaki, and K. Murata, *Synth. Metals* 152, 445 (2005).
171. "Evidence of Band-Filling Control of  $\tau$ -Type Organic Conductors by Thermal Treatment", H. Yoshino, T. Nakanishi, L. Li, K. Murata, D. Graf, E.S. Choi, J. S. Brooks, Y. Nogami, and G. C. Papavassiliou, *Synth. Metals* 153, 453 (2005).
172. "Determination of Band-filling Change in the two-Dimensional Organic conductor  $\tau$ -(EDO-*S,S*-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> by the Quantum Oscillation and Magnetoresistance", H. Yoshino, K. Murata, T. Nakanishi, L. Li, E.S. Choi, D. Graf, J. S. Brooks, Y. Nogami, and G. C. Papavassiliou, *J. Phys. Soc. Jpn.* 74, 417 (2005).
173. "Magnetization, Thermoelectric, and Pressure Studies of Magnetic Field-induced Metal to Insulator Transition in  $\tau$ -Phase Organic Conductors", D. Graf, E. Choi, J. Brooks, N. Harrison, K. Murata, T. Konoike, G. A. Mousdis and G. C. Papavassiliou, *Phys. Rev. B* 71, 045117 (2005).
174. "Induced Absorption and Spontaneous Emission Due to Biexciton in Two-Dimensional Semiconductor (CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>PbBr<sub>4</sub> Single Crystal", H. Makino, T. Goto, T. Yao, G. A. Mousdis, and G. C. Papavassiliou, *J. Luminesc.* 112, 54 (2005).
175. "Structure and Conductivity of Unsymmetrical  $\pi$ -donor Ethylenedithiadiselenafulvalene Iodomercurate, (EDT-DTDSF)<sub>4</sub>H<sub>3</sub>I<sub>8</sub>", E. I. Zhilyaeva, A. Yu. Kovalvski, S. A. Torunova, G. A. Mousdis, R. B. Lyuborskii, G. C. Papavaassiliou, P. Coppens, and R. N. Lyuborskaya, *Synth. Metals*, 150, 245 (2005).
176. "Alternative Method for the Preparation of Ni(dddt) (edt) (dddt=5,6-Dihydro-1,4-dithin-2,3-dithiolate, edt=cis-1,2-Ethylenedithiolate/ and Similar Complexes", G. C. Papavassiliou and G. S. Anyfantis, *Z. Naturforsch.* 60b, 811 (2005).
177. "Hybrid Materials Based on CdS and CdSe Nanoparticles in Glassy Block Copolymers", K. D. Gatsouli, S. Pispas, G. Mousdis, G. C. Papavassiliou, E. I. Kamitsos, , *Phys. Chem. Glasses*, 46, 197 (2005).

178. "Localization of triplet excitons and biexcitons in the two-dimensional semiconductor  $(\text{CH}_3\text{C}_6\text{H}_4\text{CH}_2\text{NH}_3)_2\text{PbBr}_4$ ", T. Goto, H. Makino, T. Yao, C. H. Chia, T. Makino, Y. Segawa, G. A. Mousdis, and G. C. Papavassiliou, *Phys.Rev. B* **73**, 115206 (2006).
179. "Transient Nonlinear Optical Response of Novel Neutral Unsymmetrical Nickel Dithiolene Complexes", P. Aloukos, S. Couris, J. B. Koutselas, G. C. Anyfantis, and G. C. Papavassiliou, *Chem. Phys. Lett.*, 428, 109 (2006).
180. "Preparation and Characterization of some Nickel 1,2-Dithiolane Complexes as Single-Component Semiconductors", G. C. Anyfantis, G. C. Papavassiliou, A. Terzis, C. P. Raptopoulou, Y. F. Weng, H. Yoshino, and K. Murata, *Z. Naturforsch.*, 61b, 1007 (2006).
181. "Is the Two-Dimensional Organic Conductor  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub> (AuCl<sub>2</sub>)<sub>1+y</sub> Clean or Dirty?", T. Nakanishi, S. Yasuzuka, H. Yoshino, H. Fujiwara, T. Sugimoto, Y. Nishio, K. Kajita, G. A. Anyfantis, G. C. Papavassiliou, and K. Murata, *J. Low Temp. Phys.* 142, 247 (2006).
182. "Magnetic Ground State of Quasi-two-dimensional Organic Conductor,  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub> (AuCl<sub>2</sub>)<sub>1+y</sub>", T. Nakanishi, S. Yasuzuka, H. Yoshino, H. Fujiwara, T. Sugimoto, Y. Nishio, K. Kajita, G. C. Anyfantis, G. C. Papavassiliou, and K. Murata, *J. Phys.: Conf. Series*, 51, 343(2006).
183. "Unsymmetrical Single-Component Nickel 1,2-Dithiolene Complexes with Extended Tetrachalcogenafulvalenedithiolato Ligands", G. C. Anyfantis, G. C. Papavassiliou, P. Aloukos, S. Couris, Y. F. Weng, H. Yoshino, and K. Murata, *Z. Naturforsch.*, 62b, 200 (2007).
184. "Some New Nickel Dichalcogenolene Complexes as Single Component Semiconductors", G. C. Papavassiliou, G. C. Anyfantis, B. R. Steele, A. Terzis, C. P. Raptopoulou, G. Tatakis, G. Chaidogiannos, N. Glezos, Y. F. Weng, H. Yoshino, and K. Murata, *Z. Naturforsch.*, 62b, 679 (2007).
185. "Air-stable Ambipolar Organic Transistors", T. D. Anthopoulos, G. C. Anyfantis, G. C. Papavassiliou, and D. M. deLeeuw, *Appl. Phys. Lett.*, 90, 122105 (2007).
186. "Photo induced Electron Transfer on Aqueous Carbon Nanoborn-Pyrene-Tetrathiafulvalene Architectures", G. Pagona, A. S. D. Sandanayka, A. Maigné, J. Fan, G. C. Papavassiliou, I. D. Petsalakis, B. R. Steele, M. Yudasaka, S. Iijima, N. Tagmatarchis, and O. Ito, *Chem. Eur. J.* 13, 7606 (2007).
187. "Some Air-stable Unsymmetrical Nickel 1,2-dithiolenes with Extended Tetrathiafulvalenedithiolato Ligands", G. C. Papavassiliou, G. C. Anyfantis, and I. B. Koutselas, *Z. Naturforsch.*, 62b 1481 (2007).
188. "Anion chain structure controlled behavior of Phase Transition in Quasi-Two-Dimensional Organic Metal (EDT-TTF)<sub>4</sub>[Hg<sub>3</sub>I<sub>8</sub>]<sub>1-x</sub>", E. I. Zhilyaeva, A. Y. Kovalevsky, R. B. Lyuborskii, S. A. Torunova, G. A. Mousdis, G. C. Papavassiliou, and R. N. Lyuborskaya, *Crystal Growth and Design* 7, 2769 (2007).



189. “Low-Dimensional Organic Conductors as Thermo-electric Materials”, H. Yoshino, G. C. Papavassiliou, and K. Murata, *J. Therm. Anal. Calor.*, 92, 457 (2008).
190. “Some Unsymmetrical Nickel 1,2-dithiolene complexes as Candidate Materials for Optics and Electronics”, G. C. Anyfantis, G. C. Papavassiliou, N. Assimomytis, A. Terzis, V. Pshyharis, C. P. Raptopoulou, P. Kyritsis, V. Thoma, and I. B. Koutselas, *Sol. State Sci.*, 110, 1729 (2008).
191. “Some Unsymmetrical Metal 1,2-Dithiolenes Based on Palladium, Platinum and Gold”, G. C. Papavassiliou, G. C. Anyfantis, A. Terzis, V. Psycharis, P. Kyritsis, and P. Paraskevopoulou, *Z. Naturforsch.* 63b, 1377(2008).
192. “Bis[1,2-diphenyl-1,2-ethylenedithiolato(2-)-kS<sub>1</sub>, kS<sub>2</sub>]gold:Preparation, Structure and Properties”, G. C. Papavassiliou, G. C. Anyfantis, C. P. Raptopoulou, V. Psycharis, N.Ioannidis, V. Petrouleas and P. Paraskevopoulou, *Polyhedron*, 28, 3368 (2009).
193. “Thermoelectric Figure of Merit of  $\tau$ -(EDO-SS-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> ( $y \leq 0.875$ ) and (TMTSF)<sub>2</sub>PF<sub>6</sub>”, H. Yoshino, G. C. Papavassiliou, and K. Murata, *Synth. Met.* 159, 2387 (2009).
194. “Preparation and Characterization of Ni(dpedit)(pddt) and Ni(dpedit)(pddt)CS<sub>2</sub>, where dpedit is diphenylethylenedithiolate and pddt is 6,7-dihydro-5H-1,4-dithiepin-2,3-dithiolate”, G. C. Anyfantis, G. C. Papavassiliou, A. Terzis, C. P. Raptopoulou, V. Psycharis, and P. Paraskevopoulou, *Polyhedron* 29, 969 (2010).
195. “Organic-Inorganic Hybrid Compounds Based on Lead Halide Units: Preparation from Melts and through Grinding Effects”, G. C. Papavassiliou, G. A. Mousdis, and G. C. Anyfantis, *Z. Naturforsch.*, 65b, 516 (2010).
196. “Strong Photoluminescence from thin Deposits of Organic – Inorganic Hybrid Compounds based on Metal – Halide Units”, G. C. Papavassiliou, G. A. Mousdis, and G. C. Anyfantis, *Luminescence* 25, 218 (2010).
197. “Thermoelectric Figure of Merit of tau-type conductors of several donors”, H. Yoshino, H. Aizawa, K. Kuroki, G. C. Anyfantis, G. C. Papavassiliou and K. Murata, *Physica B – condensed Matt.* 405, 79 (2010).
198. (a) “Nonlinear optical response of a symmetrical Au dithiolene complex under ps and ns laser excitation in the infrared and in the visible”, G. Chatzikyriakos, I. Papagiannouli, S. Couris, G.C. Anyfantis, and G.C. Papavassiliou, *Chem. Phys. Lett.* 513, 229 (2011). [DOI: 10.1016/J.CPLETT.2011.07.091](https://doi.org/10.1016/j.cplett.2011.07.091) (b) “NLO properties of a new Au-dithiolene complex”, G. Chatzikyriakos, P. Aloukos, S. Couris, G. C. Anyfantis, G. C. Papavassiliou, 1288, 151-153 (2010).
199. “Some unconventional organic-inorganic hybrid low-dimensional semiconductors and related light-emitting devices”, I. Koutselas, P. Bampoulis, E. Maratou, T. Evagelinou, G. Pagona, and G.C. Papavassiliou, *J. Phys. Chem. C* 115, 8475 (2011). [DOI: 10.1021/jp111881b](https://doi.org/10.1021/jp111881b).

200. "Thermoelectric and thermal properties of novel  $\tau$ -type organic conductors as thermoelectric materials", H. Yoshino, H. Nakada, S. J. Krivickas, H. Mori, G. C. Anyfantis, G. C. Papavassiliou, and K. Murata, *Phys. Status Solidi C*, 1-3 (2012) / DOI10.1002/pssc.201100658.
201. "Nanocrystalline/microcrystalline materials based on lead-halide units", G. C. Papavassiliou, G. Pagona, N. Karousis, G. A. Mousdis, I. Koutselas and A. Vassilakopoulou, *J. of Mater. Chem.*, 22, 8271 (2012).
202. "Structural and Electrical Properties of the  $\tau$ -(P-S,S-DMEDT-TTF)<sub>2</sub>(AuCl<sub>2</sub>)<sub>y</sub> (AuCl<sub>2</sub>)<sub>y</sub> Compound with ( $y \approx 0.9$ )", V. Psycharis, G.A. Mousdis, K. Murata, and G.C. Papavassiliou, *Crystals* 2, 1283 (2012). DOI:10.3390/cryst2031283.
176. "Neutral Metal 1,2-Dithiolenes: Preparations, Properties and Possible Applications of Unsymmetrical in Comparison to the Symmetrical", G.C. Papavassiliou, G.C. Anyfantis, and G.A. Mousdis, (INVITED REVIEW), *Crystals* 2, 762 (2012), DOI:10.3390/cryst2030762.
177. "Is the resistance upturn around 50K related to the Fermi surface area in  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub>", T. Nakanishi, L. Li, H. Yoshino, S. Yasuzuka, K. Murata, D. Graf, E.S. Choi, J.S. Brooks and G.C. Papavassiliou, *Synth. Met.* 152, 425 (2005).
178. "Magnetic, thermoelectric, and pressure studies of the magnetic field-induced metal to insulator transition in tau-phase organic conductors", J.S. Brooks, D. Graf, Y. Oshima, E.S. Choi, K. Murata, T. Konoike and G.C. Papavassiliou, *Synth. Met.* 152, 441 (2005).
179. "Pressure-induced low resistive and insulating phases in  $\tau$ -(EDO-R,R-DMEDT-TTF)<sub>2</sub>(AuI<sub>2</sub>)<sub>1+y</sub>", L. Li, H. Yoshino, T. Nakanishi, G.C. Papavassiliou, G.A. Mousdis, T. Sasaki and K. Murata, *Synth. Met.* 152, 445 (2005).
180. "Evidence of band-filling control of  $\tau$ -type organic conductors by thermal treatment", H. Yoshino, T. Nakanishi, L. Li, K. Murata, D. Graf, E.S. Choi, J.S. Brooks, Y. Nogami, and G.C. Papavassiliou, *Synth. Met.* 153, 453 (2005).
181. "Determination of band-filling change in the two-dimensional organic conductor  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub>(AuBr<sub>2</sub>)<sub>1+y</sub> by the quantum oscillation and magnetoresistance", H. Yoshino, K. Murata, T. Nakanishi, L. Li, E.S. Choi, D. Graf, J.S. Brooks, Y. Nogami and G.C. Papavassiliou, *J. Phys. Soc. Jpn.* 74, 417 (2005).
182. "Magnetic, thermoelectric and pressure studies of magnetic field-induced metal to insulator transition in  $\tau$ -phase organic conductors", D. Graf, E. Choi, J. Brooks, N. Harrison, K. Murata, T. Konoike, G.A. Mousdis and G.C. Papavassiliou, *Phys. Rev. B* 71, 045117 (2005).
183. "Induced absorption and spontaneous emission due to biexciton in two-dimensional semiconductor (CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>PbBr<sub>4</sub> single crystal", H. Makino, T. Goto, T. Yao, G. A. Mousdis and G.C. Papavassiliou, *J. Luminesc.* 112, 54 (2005).

184. "Structure and conductivity of unsymmetrical  $\pi$ -donor ethylenedithiadiselenafulvalene iodomercurate,  $(\text{EDT-DTDSF})_4\text{H}_3\text{I}_8$ ",  
E.I. Zhilyaeva, A.Yu. Kovalvski, S.A. Torunova, G.A. Mousdis, R.B. Lyuborskii, G.C. Papavaassiliou, P. Coppens and R.N. Lyuborskaya, *Synth. Met.* **150**, 245 (2005).
185. "Alternative method for the preparation of Ni(dddt) (edt) (dddt=5,6-Dihydro-1,4-dithin-2,3-dithiolate, edt=cis-1,2-Ethylenedithiolate) and similar complexes",  
G.C. Papavassiliou and G.S. Anyfantis, *Z. Naturforsch. B* **60**, 811 (2005).
186. "Hybrid materials based on CdS and CdSe nanoparticles in glassy block copolymers",  
K.D. Gatsouli, S. Pispas, G. Mousdis, G.C. Papavassiliou and E.I. Kamitsos,  
*Phys. Chem. Glasses* **46**, 197 (2005).
187. "Transient nonlinear optical response of novel neutral unsymmetrical nickel dithiolene complexes",  
P. Aloukos, S. Couris, J.B. Koutselas, G.C. Anyfantis and G.C. Papavassiliou, *Chem. Phys. Lett.* **428**, 109 (2006).
188. "Preparation and characterization of some nickel 1,2-dithiolene complexes as single-component semiconductors",  
G.C. Anyfantis, G.C. Papavassiliou, A. Terzis, C.P. Raptopoulou, Y.F. Weng, H. Yoshino and K. Murata, *Z. Naturforsch.* **61b**, 1007 (2006).
189. "Localization of triplet excitons and biexcitons in the two-dimensional semiconductor  $(\text{CH}_3\text{C}_6\text{H}_4\text{CH}_2\text{NH}_3)_2\text{PbBr}_4$ ",  
T. Goto, H. Makino, T. Yao, C.H. Chia, T. Makino, Y. Segawa, G.A. Mousdis and G.C. Papavassiliou, *Phys. Rev. B* **73**, 115206 (2006).
190. "Is the two-dimensional organic conductor  $\tau$ -(EDO-S,S-DMEDT-TTF) $_2$   $(\text{AuCl}_2)_{\text{it}}$  clean or dirty?",  
T. Nakanishi, S. Yasuzuka, H. Yoshino, H. Fujiwara, T. Sugimoto, Y. Nishio, K. Kajita, G.A. Anyfantis, G.C. Papavassiliou and K. Murata, *J. Low Temp. Phys.* **142**, 247 (2006).
191. "Unsymmetrical Single-Component Nickel 1,2-Dithiolene Complexes with Extended Tetrachalcogenafulvalenedithiolato Ligands", G.C. Anyfantis, G.C. Papavassiliou, P. Aloukos, S. Couris, Y.F. Weng, H. Yoshino, and K. Murata, *Z. Naturforsch.* **62b**, 200 (2007).
192. "Some New Nickel Dichalcogenolene Complexes as Single Component Semiconductors",  
G.C. Papavassiliou, G.C. Anyfantis, B.R. Steele, A. Terzis, C.P. Raptopoulou, G. Tatakis, G. Chaidogiannos, N. Glezos, Y.F. Weng, H. Yoshino, and K. Murata, *Z. Naturforsch.* **62b**, 679 (2007).
193. "Some air-stable unsymmetrical nickel 1,2-dithiolenes with extended tetrathiafulvalenedithiolato ligands",  
G.C. Papavassiliou, G.C. Anyfantis, and I.B. Koutselas, *Z. Naturforsch.* **62b** 1481 (2007).
194. "Air-stable ambipolar organic transistors",  
T.D. Anthopoulos, G.C. Anyfantis, G.C. Papavassiliou, and D.M. deLeeuw, *Appl. Phys. Lett.* **90**, 122105 (2007).
195. "Anion chain structure controlled behavior of phase transition in quasi-two-dimensional organic metal  $(\text{EDT-TTF})_4[\text{Hg}_3\text{I}_8]_{1-x}$ ", E.I. Zhilyaeva, A.Y. Kovalevsky, R.B. Lyubovskii, S.A. Torunova, G.A. Mousdis, G.C. Papavassiliou and R.N. Lyubovskaya, *Crystal Growth & Design* **7**, 2768 (2007).

196. "Electron-transfer on aqueous photoactive carbon nanohorn-pyrene- tetrathiafulvalene hybrids", G. Pagona, A.S.D. Sandanayaka, A. Maigné, J. Fan, G.C. Papavassiliou, I.D. Petsalakis, B.R. Steele, N. Tagmatarchis, M. Yudasaka, S. Iijima and O. Ito, *Chem. Eur. J.* **13**, 7600 (2007).
197. "Low-dimensional organic conductors as thermo-electric materials", H. Yoshino, G.C. Papavassiliou and K. Murata, *J. Therm. Anal. Cal.* **92**, 457 (2008).
198. "Some unsymmetrical nickel 1,2-dithiolene complexes as candidate materials for optics and electronics", G.C. Anyfantis, G.C. Papavassiliou, N. Assimomytis, A. Terzis, V. Pshyharis, C.P. Raptopoulou, P. Kyritsis, V. Thoma and I.B. Koutselas, *Sol. State Sci.* **110**, 1729 (2008).
199. "Some unsymmetrical metal 1,2-dithiolenes based on palladium, platinum and gold", G.C. Papavassiliou, G.C. Anyfantis, A. Terzis, V. Psycharis, P. Kyritsis and P. Paraskevopoulou, *Z. Naturforsch.* **63b**, 1377 (2008).
200. "Bis[1,2-diphenyl-1,2-ethylenedithiolato(2-)-KS<sub>1</sub>, KS<sub>2</sub>] gold: Preparation, structure and properties", G.C. Papavassiliou, G.C. Anyfantis, C.P. Raptopoulou, V. Psycharis, N. Ioannidis, V. Petrouleas and P. Paraskevopoulou, *Polyhedron* **28**, 3368 (2009).
201. "Thermoelectric figure of merit of  $\tau$ -(EDO-S,S-DMEDT-TTF)<sub>2</sub> (AuBr<sub>2</sub>)<sub>1+y</sub> (y<0.875) and (TMTSF)<sub>1</sub>PF<sub>6</sub>", H. Yoshino, G.C. Papavassiliou and K. Murata, *Synth. Met.* **159**, 2387 (2009).
202. "Organic-inorganic hybrid compounds based on lead halide units: preparation from melts and through grinding effects", G.C. Papavassiliou, G. A. Mousdis and G. C. Anyfantis, *Z. Naturforsch.* **65b**, 516 (2010).
203. "Strong photoluminescence from thin deposits of organic-inorganic hybrid compounds based on metal-halide units", G.C. Papavassiliou, G.A. Mousdis and G.C. Anyfantis, *Luminescence* **25**, 218 (2010).
204. "Preparation and characterization of Ni(dpedit)(pddt) and Ni(dpedit)(pddt)CS<sub>2</sub>, where dpedit is diphenylethylenedithiolate and pddt is 6,7-dihydro-5H-1,4-dithiepin-2,3-dithiolate", G.C. Anyfantis, G.C. Papavassiliou, A. Terzis, C.P. Raptopoulou, V. Psycharis and P. Paraskevopoulou, *Polyhedron* **29**, 969 (2010).
205. "Thermoelectric figure of merit of tau-type conductors of several donors", H. Yoshino, H. Aizawa, K. Kuroki, G.C. Anyfantis, G.C. Papavassiliou and K. Murata, *Physica B* **405**, 79 (2010).
206. "Nonlinear optical response of a symmetrical Au dithiolene complex under ps and ns laser excitation in the infrared and in the visible", G. Chatzikyriakos, I. Papagiannouli, S. Couris, G.C. Anyfantis and G.C. Papavassiliou, *Chem. Phys. Lett.* **513**, 229 (2011).
207. "Some unconventional organic-inorganic hybrid low-dimensional semiconductors and related light-emitting devices", I. Koutselas, P. Bampoulis, E. Maratou, T. Evagelinou, G. Pagona and G.C. Papavassiliou, *J. Phys. Chem. C* **115**, 8475 (2011).
208. "Nanocrystalline/microcrystalline materials based on lead-halide units", G.C. Papavassiliou, G. Pagona, N. Karousis, G.A. Mousdis, I. Koutselas and A. Vassilakopoulou, *J. Mater. Chem.* **22**, 8271 (2012).

209. "Neutral metal 1,2-dithiolenes: Preparations, properties and possible applications of unsymmetrical in comparison to the symmetrical", G.C. Papavassiliou, G.C. Anyfantis and G.A. Mousdis, *Crystals* 2, 762 (2012) (Invited Review).

210. "Structural and electrical properties of the  $\tau$ -(P-S,S-DMEDT-TTF)<sub>2</sub>(AuCl<sub>2</sub>) (AuCl<sub>2</sub>)<sub>y</sub> compound with ( $y \approx 0.9$ )", V. Psycharis, G.A. Mousdis, K. Murata and G.C. Papavassiliou, *Crystals* 2, 1283 (2012).

211. "Neutral Metal 1,2-Dithiolenes: Preparations, Properties and Possible Applications of Unsymmetrical in Comparison to the Symmetrical", G.C. Papavassiliou, G.C. Anyfantis, and G.A. Mousdis, (INVITED REVIEW), *Crystals* 2, 762 (2012). [DOI:10.3390/cryst2030762](https://doi.org/10.3390/cryst2030762)

### **P3. INVITED PAPERS / CHAPTERS IN BOOKS**

1. "New Highly Conducting Systems", in "Organic and Inorganic Low-Dimensional Crystalline Materials", H. J. Keller, G. C. Papavassiliou et al, Edited by P. Delhaes and M. Drillon, Plenum (1987), p. 457.

2. "Pyrazinotetraheterofulvalenes and a Few of Their Salts", G. C. Papavassiliou, S. Y. Yiannopoulos and J. S. Zambounis, in "Organic and Inorganic Low Dimensional Crystalline Materials", Ed. P. Delhaes, Plenum, 168, 305 (1987).

3. "Conducting Solids Based on Some New Molecules with Isothiazolo-Rings", G. C. Papavassiliou, G. Z. Mousdis, J. S. Zambounis and S. Y. Yiannopoulos, in *Organic and Inorganic Low Dimensional Crystalline Materials*, Ed. P. Delhaes, Plenum, 168, 301 (1987).

4. "Tetrachalcogenafulvalenes, Metal 1,2-dichalcogenolenes and Their Conducting Salts" (INVITED REVIEW ARTICLE) in "Organic Conducting Molecules and Polymers" G. C. Papavassiliou, A. Terzis and P. Delhaes John Wiley and Sons (1997) vol. 1 pp 151-227.

5. "Optical and Related Properties of the Synthetic Quasi-Two-Dimensional Semiconductors K<sub>2</sub>Cd<sub>3</sub>S<sub>4</sub>, Rb<sub>2</sub>Cd<sub>3</sub>S<sub>4</sub> and Cs<sub>2</sub>Cd<sub>3</sub>S<sub>4</sub>", in "Optical Properties of Semiconductor Nanostructures", G. C. Papavassiliou, I. B. Koutselas, G. A. Mousdis, J. A. Kapoutsis, M. G. Kanatzidis, and E. A. Axtell III, M.L. Sadowski et al. (Eds.) Kluwer Acad.Publ., p.p. 97-100, Netherlands (2000).

6. "Some Organic-Inorganic Hybrid Semiconductors Obtained from Melts" G. C. Papavassiliou, I. B. Koutselas, G. A. Mousdis and G. J. Papaioannou, in "Mol. Low-Dim. And Nanostructured Mat. For Adv. Applications" Edited by A. Graja et al, Kluwer Acad. Publ., The Netherlands (2002), p. 319.

7. "Tetrachalcogenafulvalenes with Four Additional Heteroatoms", (INVITED REVIEW ARTICLE), G. C. Papavassiliou, in «TTF Chemistry: Fundamental and Applications of Tetrathiafulvalene», Edited by J.-I. Yamada and T. Sugimoto; Kodansha-Springer, Tokyo, chap. 2, p.p. 35-58 (2004).

#### **P4. PAPERS IN PROCEEDINGS OF INTERNATIONAL CONFERENCES**

1. "Raman Spectra in Flowing Liquids", G. C. Papavassiliou, Preliminary results have been presented in 3rd Int. Conf. Raman Spectroscopy, Reims, France 1972.
2. "New Conducting Solids Based on Some Symmetrical and Unsymmetrical  $\pi$ -Donors", G. A. Mousdis, V. C. Kakoussis and G. C. Papavassiliou, in Proc. NATO-ASI on Low Dim. Systems and Mol. Electronics", Spetses 12-23 June, 1989, Eds. R. Metzger et al, Plenum, B 248, 181 (1990).
3. "Design and Synthesis of Polyheterotetraheterafulvalenes, Metal 1,2-diheterolenes and their Low-Dimensional Conducting and Super-Conducting Salts", G. C. Papavassiliou, (PLENARY PAPER), in proc. NATO ASI on Low-Dim. Systems and Mol. Electronics", Spetses, 12-23 June, 1989, Ed. R. Metzger et al, Plenum, B 248, 143 (1990).
4. "New Tetraheterafulvalenes, Metal 1,2-Diheterolenes and Some of Their Products", G. C. Papavassiliou, (INVITED PAPER). Proc. 6th Int. Symp. Nov. Atom. Compounds, Osaka 20-25 Aug. 1989, Ed. H. Imamura.
5. "Transition Metal 1,2-Diheterolenes and Polyheterotetraheterafulvalenes: Precursors of Conducting Solids" G. C. Papavassiliou, V. C. Kakoussis, D. J. Lagouvardos, and G. A. Mousdis, (INVITED PAPER) in Proc. Int. Symp. on New Dev. in Chem. and Prop. of Low-D. Conducting Solids (Pacifichem'89), Honolulu, Dec. 1989.
6. "Conducting and Superconducting Salts Based on MDTTTF, EDTTF, VDTTTF, EDTDSDTF, MDSTTF, BMDTTTF, Pd(dmit)<sub>2</sub> and Ni(dcit)<sub>2</sub>", G. C. Papavassiliou, G. Mousdis, V. Kakoussis, A. Terzis, A. Hountas, B. Hilti, C. W. Mayer, J. S. Zambounis, M. Freund, J. L. Olseu and J. Pfeiffer, (INVITED PAPER) in Proc. of "1st Int. Symp. Org. Superconductors on Physics and Chemistry of Org. Superconductors", Tokyo, 28-30 Aug. 1989, Ed. G. Saito, S. Kagoshima, Springer-Verlag, 51, 247 (1990).
7. "Conducting and Superconducting Crystals Based on Some Unsymmetrical Donor Molecules", G. C. Papavassiliou, D. Lagouvardos, V. Kakoussis, G. Mousdis, A. Terzis, A. Hountas, B. Hilti, C. Mayer, J. Zambounis, J. Pfeiffer and P. Delhaes, Proc. Int. Conf. Org. Superconductors", South Lake Tahoe, California, 20-24 May, 1990 Eds. V. Z. Kresin and W. A. Little, Plenum, p. 367 (1990).
8. "Optical and Related Properties of Metal-Halide Chain Compounds: Bulk and Small Particles", G. C. Papavassiliou, Proc. NATO-ASI Workshop on Mixed-Valences Systems, Crete, Greece, 10-16 June 1990, Ed. K. Prassides, Kluwer, C343, 395 (1991).
9. "Some Unsymmetrical Polyheterotetraheterafulvalenes and Their Conducting Salts", G. C. Papavassiliou, INVITED PAPER, Proc. Int. Conf. Synth. Metals, Tübingen, Sept. 2-7, 1990, Synth. Metals 42 (3), 2535 (1991).
10. "Optical and Related Properties of Semiconductors: Bulk and Small Particles", G. C. Papavassiliou, (INVITED PAPER) in NATO-ASI on "Nanophase Materials: Synthesis-Properties-Applications, Corfu, Greece (1993); Eds. G. C. Hajipanayis, and W. Siegel, Kluwer, E260, 493 (1994).

11. “Optical and Related Properties of Some Synthetic Low-Dimensional Semiconductors Based on Metal Sulfid Units”, G. C. Papavassiliou, G.A. Mousdis, I.B.Koutselas, M. G. Kanatzidis, E. A. Axtell III, and M.-H. Whangbo Proc. 3rd Int. Conf. Excitonic Processes in Cond. Matter. Edited by R.T. Williams and W.M. Yen, The Electrochem. Society, Inc., N.J. Vol. 98-25, p. 343 (1998).
12. “Field-induced Symmetry Change in the Magnetoresistance of Two-Dimensional  $\tau$ -Type Organic Conductors”, H.Yoshino, K. Murata, T. Kanoike, T. Sasaki and G. C. Papavassiliou, Proc. 4<sup>th</sup> Int.Symp. Adv. Phys. Fields: Quantum Phenom. Adv. Mat. Of High Magn. Fields p.291 (1999).
13. “Magnetic ground state of quasi-two-dimensional organic conductor,  $\tau$ -(EDO-S,SDMEDT-TTF)<sub>2</sub> (AuCl<sub>2</sub>)<sub>1+y</sub>”, T. Nakanishi, S. Yasuzuka, H. Yoshino, H. Fujiwava, T. Sugimoto, Y. Nishio, K. Kajita, G.C. Anyfantis, G.C. Papavassiliou and K. Murata, J. Phys.: Conf. Series 51, 343 (2006).
14. “NLO properties of a new Au-dithiolene complex”, G. Chatzikyriakos, P. Aloukos, S. Couris, G.C. Anyfantis and G.C. Papavassiliou, Proceeding of the ICO Topical Meeting on ‘Emerging Trends and Novel Materials in Photonics’, 7-9 October 2009, Delphi, Greece; N.A. Vainos et al Eds., ISBN: 978-0-7354-0843-2.
15. “Thermoelectric and thermal properties of novel  $\tau$ -type organic conductors as thermoelectric materials” H. Yoshino, H. Nakada, S. J. Krivichas, H. Mori, G. C. Anyfantis, G. C. Papavassiliou and K.Murata, Physica Status Solidi (C),9, 1196-1198 (2012).