



**Theoretical and Physical Chemistry Institute  
National Hellenic Research Foundation**

**Vass. Constantinou 48, Athens**

**LECTURE**

**“Multiscale Simulations of Polymer/Solid Interfaces: Bridging  
the Atomistic to the Mesoscopic Levels of Description”**

**Dr. Aristotelis P. Sgouros**

School of Chemical Engineering,  
National Technical University of Athens,  
Athens, Greece

**Thursday, May 9, 2019, 12:00**

**Seminar room, ground floor, NHRF**

## **“Multiscale Simulations of Polymer/Solid Interfaces: Bridging the Atomistic to the Mesoscopic Levels of Description”**

Dr. Aristotelis P. Sgouros


*School of Chemical Engineering, Department of Materials Science and Engineering,  
National Technical University of Athens (NTUA), GR-15780 Athens, Greece.*

The advent of models and advanced computational tools coupled with the exponential growth of computational resources over the past decades, have aided substantially in guiding the design of enhanced polymer materials of major technological importance in a broad range of industrially relevant applications.<sup>1-4</sup> Atomistic simulations have assisted a great deal in the understanding of elusive microscopic phenomena manifesting themselves at polymer interfaces and of their mechanisms and in establishing structure-property relations;<sup>5-8</sup> they have a drawback, however, namely that the computational cost they entail increases rapidly when considering processes involving high molar mass polymers of industrial relevance, with relaxation times far exceeding the accessible simulation times. Continuum simulation methods, on the other hand, have been really successful in modeling macroscopic phenomena; however, one has to make careful assumptions regarding the parameterization of a continuum model, especially when the examined phenomenon is sensitive to mechanisms exhibiting large time scale separations.<sup>9-11</sup> The accurate modeling of complex rheological phenomena exhibiting sensitivity to mechanisms manifesting themselves over a vast range of time- and length-scales has motivated the development of multiscale strategies comprising several levels of description, each level focusing on a specific window of time and length scales, receiving input from more detailed levels and providing input to coarser ones.

In the current lecture we will discuss a multiscale simulation strategy<sup>12-14</sup> for homogeneous and inhomogeneous polymer melts and polymer/solid interfaces over a broad range of molar masses, under quiescent and flow conditions. The multiscale simulation strategy comprises the following steps:

- a) The finer level of description entails atomistic simulations of unentangled and entangled polymer melts, allowing for the estimation of several thermodynamic, structural and dynamical properties on the segment and on the chain level.
- b) The atomistic trajectories are mapped onto mesoscopic, coarse-grained representations through a well-defined mapping procedure. The mesoscopic representations are then analyzed, and the extracted information is used as an input for the mesoscopic simulations of the multiscale approach.
- c) The parameters of the mesoscopic models are derived from the atomistic level of description through a bottom-up parameterization procedure. The mesoscopic models are developed “hand in hand” with atomistic simulations and the validity of the mesoscopic observables is assessed through comparisons with atomistic ones along the overlapping molar mass regimes and with experiment.

The multiscale strategy has been applied to linear monodisperse polyethylene melts using the EMSIPON code<sup>15</sup> and can be easily extended to describe other types of polymers and interfaces. The advantage of this multiscale strategy is that it allows for the prediction of several thermodynamic (i.e., interfacial free energies, local stress), structural (i.e. short- and long-range size, shape and orientation of chain segments and entire chains) and dynamical (diffusion, viscosity) properties under quiescent and flow conditions, across a very broad molar mass regime.



**Figure.** Schematic illustration of the research objectives.

## References

- (1) Wei, Q.; Cai, M.; Zhou, F.; Liu, W. Dramatically Tuning Friction Using Responsive Polyelectrolyte Brushes. *Macromolecules* **2013**, *22*, 2116–2129.
- (2) Swartjes, J. J. T. M.; Sharma, P. K.; Kooten, T. G.; Mei, H. C.; Mahmoudi, M.; Busscher, H. J.; Rochford, E. T. J. Current Developments in Antimicrobial Surface Coatings for Biomedical Applications. *Curr. Med. Chem.* **2015**, *22*, 2116–2129.
- (3) Saini, M.; Singh, Y.; Arora, P.; Arora, V.; Jain, K. Implant Biomaterials: A Comprehensive Review. *World J. Clin. Cases* **2015**, *3*, 52–57.
- (4) Feng, H.; Lu, X.; Wang, W.; Kang, N. G.; Mays, J. W. Block Copolymers: Synthesis, Self-Assembly, and Applications. *Polymers (Basel)*. **2017**, *9*.
- (5) Simavilla, D. N.; Huang, W.; Vanderstrick; Ryckaert, J.-P.; Sferrazza, M.; Nappolitano, S. Mechanisms of Polymer Adsorption onto Solid Substrates. *ACS Macro Lett.* **2017**, *6*, 975–979.
- (6) Skountzos, E. N.; Mavrantzas, V. G.; Tsitsilianis, C.; Nanocomposites, P.; Stacking, G. Atomistic Simulation of Pyrene Functionalized A ,  $\Omega$ -Pmma As Dispersing Agent of Graphene for the Fabrication of Polymer. **2015**, No. July, 1–7.
- (7) Kritikos, G.; Sgouros, A.; Vogiatzis, G. G.; Theodorou, D. N. Molecular Dynamics Study of Polyethylene under Extreme Confinement. *J. Phys. Conf. Ser.* **2016**, *738*, 012012.
- (8) Sgouros, A. P.; Vogiatzis, G. G.; Kritikos, G.; Boziki, A.; Nikolakopoulou, A.; Liveris, D.; Theodorou, D. N. Molecular Simulations of Free and Graphite Capped Polyethylene Films: Estimation of the Interfacial Free Energies. *Macromolecules* **2017**, *50*, 8827–8844.
- (9) Chen, Y.; Kalyon, D. M.; Bayramli, E. Effects of Surface Roughness and the Chemical Structure of Materials of Construction on Wall Slip Behavior of Linear Low Density Polyethylene in Capillary Flow. *J. Appl. Polym. Sci.* **1993**.
- (10) Hatzikiriakos, S. G. Slip Mechanisms in Complex Fluid Flows. *Soft Matter* **2015**, *11*, 7851–7856.
- (11) Neto, C.; Evans, D. R.; Bonaccorso, E.; Butt, H.-J.; Craig, V. S. J. Boundary Slip in Newtonian Liquids: A Review of Experimental Studies. *Reports Prog. Phys.* **2005**, *68*, 2859–2897.
- (12) Sgouros, A. P.; Megariotis, G.; Theodorou, D. N. Slip-Spring Model for the Linear and Nonlinear Viscoelastic Properties of Molten Polyethylene Derived from Atomistic Simulations. *Macromolecules* **2017**, *50*, 4524–4541.
- (13) Megariotis, G.; Vogiatzis, G. G.; Sgouros, A. P.; Theodorou, D. N. Slip Spring-Based Mesoscopic Simulations of Polymer Networks: Methodology and the Corresponding Computational Code. *Polymers (Basel)*. **2018**, *10*, 1156.
- (14) Sgouros, A. P.; Lakkas, A. T.; Megariotis, G.; Theodorou, D. N. Mesoscopic Simulations of Free Surfaces of Molten Polyethylene: Brownian Dynamics/Kinetic Monte Carlo Coupled with Square Gradient Theory and Compared to Atomistic Calculations and Experiment. *Macromolecules* **2018**, *51*, 9798–9815.
- (15) Vogiatzis, G. G.; Megariotis, G.; Theodorou, D. N. Equation of State-Based Slip-Spring Model for Entangled Polymer Dynamics. *Macromolecules* **2017**, *50*, 3004–3029.